MSDS# A039

Page 1 of 3

Sanford Corporation 2711 Washington Boulevard Bellwood, IL 60104 Telephone No: Date of Last Revision: Medical Emergency No: 1-800-323-0749 October 15, 2001 1-800-228-5635

Not determined

Not determined

Non-reactive

SECTION ONE: PRODUCT INFORMATION

PRODUCT NAME: Academy Watercolors

PRODUCT SIZES: 24 and 60 ml

PRODUCT CLASS: Artists' Watercolors

SECTION TWO: HAZARDOUS INGREDIENTS

INGREDIENTS	CAS #	PEL/TLV	MAX WT.%	NTP	IARC
Zinc Oxide	1314-13-2	10 mg/m ³	55.0	-	-

SECTION THREE: PHYSICAL AND CHEMICAL CHARACTERISTICS

BOILING POINT: Not determined

VAPOR PRESSURE: Not determined

SPECIFIC VAPOR DENSITY (AIR = 1) Not determined

SOLUBILITY IN WATER: Not determined

EVAPORATION RATE (BUTYL ACETATE = 1): Not determined

APPEARANCE AND ODOR: Colored paints; essentially odorless

MELTING POINT:

SPECIFIC GRAVITY:

REACTIVITY IN WATER:

This Material Safety Data Sheet is applicable for the consumer use of the following products: A039

See MSDS A600 for the following colors: A023, A024, A029, A034, A036, A042, A043, A049, A064, A067, A077, A078, A081, A106, A107, A110, A115, A116, A139, A150, A156, A163, A171, A172, A182, A192, A204, A205, A207, A210, A211, A212, A213, A219, A229, A242

See MSDS A600-A for the following colors: A001, A025, A026, A027, A031, A038, A095, A111, A112, A118, A120, A146, A162, A168, A189, A203, A222, A224

See MSDS A600-B for the following colors: A048, A232

See separate MSDS's for each of the following colors: A005, A085, A133, A187

Material Safety Data Sheet

SECTION FOUR: FIRE AND EXPLOSION INFORMATION

FLASH POINT (METHOD):	Not available				
FLAMMABILITY LIMITS (% BY	VOLUME):	LOWER:	Not explosive	UPPER:	Not explosive
EXTINGUISHING MEDIA:	As appropriate f	for surrounding	g area.		
FIRE FIGHTING PROCEDURES:	No special fire fighting procedures required.				
UNUSUAL FIRE AND EXPLOSION HAZARDS:	Not combustible	9			

SECTION FIVE: REACTIVITY DATA

STABILITY:	Stable
CONDITIONS TO AVOID:	Excessive heat
CHEMICAL INCOMPATIBILITY:	None known
HAZARDOUS DECOMPOSITION:	None known
HAZARDOUS POLYMERIZATION:	Will not occur.

SECTION SIX: HEALTH HAZARD DATA

PERMISSIBLE EXPOSURE LEVEL: See Section Two for component PEL/TLV's.							
PRIMARY ROUTES OF ENTRY:							
	Inhalation:	None under normal use conditions.					
	Skin:	None under normal use conditions.					
	Eye:	None under normal use conditions.					
	Ingestion:	None under normal use conditions.					
	S/SYMPTOMS OF EXPOSURE:	None expected.					
	S/SYMPTOMS OF C EXPOSURE:	None expected.					
CARCING	DGEN LISTING:	NTP:	NO	IARC:	NO	OSHA:	NO

See Section Two for components affected.

MSDS# A039

Material Safety Data Sheet

MSDS# A039

Page 3 of 3

MEDICAL CONDITIONS USUALLY AGGRAVATED BY OVEREXPOSURE TO THIS PRODUCT: Unknown

FIRST AID MEASURES:

Inhalation:	Remove to fresh air.
Skin:	Wash with soap and water.
Eye:	Rinse through with water. If irritation persists, seek medical attention.
Ingestion:	Seek medical attention.

SECTION SEVEN: SPILL OR LEAK PROCEDURES


PRECAUTIONS TO BE TAKEN DURING STORAGE/HANDLING:	None
STEPS TO BE TAKEN IN CASE MATERIAL IS SPILLED:	No special spill procedures required.
WASTE DISPOSAL METHOD:	Dispose in accordance with Federal, State, and Local Regulations.

SECTION EIGHT: PROTECTIVE EQUIPMENT AND CONTROL MEASURES

RESPIRATORY PROTECTION ANDNone required.SPECIAL VENTILATIONREQUIREMENTS:

OTHER PROTECTIVE EQUIPMENT None (GLOVES, GOGGLES, ETC.):

WORK/HYGIENE PRACTICES: Studio hygiene rules should be observed. Wash thoroughly before eating, drinking, or smoking.



0=Minimal/4=Extreme Hazard

WARNING: DO NOT SPRAY APPLY -- This product contains cadmium, a chemical known to the State of California to cause cancer by means of inhalation.

WARNING: This product contains lead, a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

May be used to comply with OSHA Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements.