1. Identification:

> Product Identity: Poli-Mirro 450 Recommended Use: Wood Floor Varnish

Producer / Distributor

Multi-Clean 600 Cardigan Road Shoreview, MN 55126

651-481-1900 **Telephone Number for Information: Emergency Telephone Number:** 800-255-3924



Environment Class

Hazard Identification:

Classification:

Health Class

Mild Skin Irritation Category 3 Eye Irritant Category 2 Skin Sensitizer

Specific Target Organ Toxicity - Repeated Exposure Category 3

Label

Symbols



Signal Word Warning

Hazard Statements:

Causes mild skin irritation.

Causes eye irritation.

May cause an allergic skin reaction.

May cause drowsiness or dizziness.

Precautionary Statements:

Wash hands thoroughly after handling.

Avoid breathing dust/vapors.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves. Use in a well-ventilated area.

If skin irritation occurs: Get medical attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Physical Class

Flammable Liquid Category 3

If eye irritation persists: Get medical attention.

IF ON SKIN: Wash with plenty of water.

If skin irritation or rash occurs: Get medical attention.

Take off contaminated clothing and wash it before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a doctor if you feel unwell.

Store locked up, in a well-ventilated place. Keep container tightly closed.

Dispose of contents in accordance with local regulations.

Composition/Information on Ingredients

Percent by Ingredient **CAS Number** Weight 30 - 60 Mineral Spirits 8052-41-3 Oil Modified Polyurethane Resin 30 - 60 Proprietary

First-Aid Measures:

Ingestion: If Swallowed: Do not induce vomiting. Call a physician immediately. Never give anything by mouth to an unconscious person.

Eye Contact: Flush eyes with running water for at least 15 minutes. If irritation persists, obtain medical attention.

Skin Contact: Flush thoroughly with cool water. Remove and wash contaminated clothing before reuse.

Inhalation: If ill effects occur from breathing vapors, remove victim to fresh air, keep warm and quiet, contact physician.

5. Fire Fighting Measures:

Foam - Water Fog - CO2 - Dry Chemical - Vaporizing liquid **Suitable Extinguishing Media:**

Special Fire Fighting Procedures: Water hose stream may spread fire, Use water spray to keep containers cool

Unusual Fire and Explosion Hazards None are known

6. Accidental Release Measures:

Extinguish all sources of possible ignition (flames, sparks, pilot lights, etc.) and provide ventilation. For large spills, dike and contain spill with inert material (sand, earth, etc.). Collect spill with absorbent material (example; floor-dry). For small spills, wipe up spill with mop or rag. Dispose of or treat mop or rag properly to avoid fire.

7. Handling and Storage:

Handling: Keep out of reach of children.

Storage: Do not store near heat sparks or flame.

8. Exposure Controls / Personal Protection:

Exposure Limits:
Ingredients
CAS Number
Osha PEL
ACGIH TLV
Mineral Spirits
8052-41-3
100 ppm
100 ppm

Exposure Controls:

Engineering Controls: Ventilate to maintain vapor levels below exposure limits.

Personal Protective Equipment:

Eye Protection: Approved Safety Goggles or Glasses **Skin Protection:** Chemical Resistant Rubber Gloves

Respiratory Protection: Not required, Avoid breathing spray mist

9. Physical and Chemical Properties:

Physical State:LiquidpH:Not ApplicableAppearance:AmberSpecific Gravity (H20 = 1):0.876

Odor: Solvent

Flammability: Flammable

Solubility: Negligible

Flash Point: 104°F (40°C) PMcc

Evaporation Rate: NA

Boiling Point: 232-390°F (162-199°C)

Vapor Pressure (MM HG): NA %volatile: 40 - 50%

Vapor Density (Air = 1): > 1

10. Stability and Reactivity:

Chemical Stability: Stable

Possibility of Hazardous Reactions: None are known Incompatability (Materials to Avoid): Strong Oxidizers Hazardous Decomposition or By-products: None

Hazardous Polymerization: Will not Occur **Conditions to Avoid:** None are known

11. Toxicological Information:

Signs and Symptoms of Overexposure: Causes irritation and redness to Eyes, and skin or irritation upon inhalation, may experience

dizziness, headaches or nausea.

Acute Effects:

Eye Contact: Causes irritation on contact **Skin Contact:** Causes mild irritation on contact

Inhalation: May be harmful

Ingestion: May be harmful if swallowed
Target Organ Effects: None Known

Chronic Effects: Repeated or prolonged exposure to solvents has been shown to cause permanent brain and central nervous system damage

Acute Toxicity Values:

Oral LD $_{50}$ = >5000 mg/kg Dermal LD $_{50}$ = >5000 mg/kg Inhalation (Vapor) LC $_{50}$ = >50 mg/l

12. Ecological Information:

Persistence and Degradability: Not Available Bio Accumulative Potential: Not Available

Mobility in Soil: Not Available **Aquatic Toxicity:** Not Available

13. Disposal Considerations:

Material that cannot be used during normal use should be disposed of in accordance with all applicable local, state and federal regulations. Incineration in an EPA authorized site is recommended.

14. Transportation Information:

UN Number: UN1263 Shipping Name: Paint Transport Hazard Class: 3 Packing Group: III Marine Pollutant: NO

15. Regulatory Information:

TSCA Status: All ingredients listed

Clean Water Act: Mineral Spirits(8052-41-3) is listed in the Clean Water Act as a Hazardous Substance.

Clean Air Act: None of the chemicals in this product are listed under the CAA

CERCLA Reportable Quantity: None

SARA Title III Information:

Section 302 Extremely Hazardous Chemicals: None Listed

Section 311 / 312 Hazard Category: Immediate Health, Chronic Health, Fire

Section 313 Toxic Chemicals: None Listed

State Regulations: None

International Regulations: WHMIS Controlled Product Hazard Class: B2

16. Other Information:

Prepared By: Ron Camp

Telephone Number: 651-481-1900

Revision Date: 6/7/2013 **Supersedes:** 4/1/2012

The information contained herein is based on data considered accurate; however no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. The company assumes no responsibility for personal injury or property damage to vendees, users, or third parties caused by the material. Such vendees or users assume all risks associated with the use of the



Health	2
Flammability	2
Physical hazards	0