

	1. Product and Company	y Identification		
Product Code: Product Name: Company Name:	V6204 VAPORENE 6204 THE METRO GROUP, INC 50-23 23RD STREET LONG ISLAND CITY, NY 11101	Phone Number: (718)729-7200		
Web site address: Email address: Emergency Contact: Synonyms:	www.metrogroupinc.com info@metrogroupinc.com CHEMTREC BOILER WATER INHIBITOR	(800)424-9300		
	2. Hazards Identi	fication		
GHS Hazard Phrases:	May be harmful in contact with skin. May be harmful if swallowed. Causes eye irritation.			
GHS Precaution Phrases:		container tightly closed. Wear protective gloves and he manufacturer/supplier or the competent authority.		
GHS Response Phrases:	IF IN EYES: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. IF SWALLOWED: Call a doctor if you feel unwell.			
GHS Storage and Disposal Phrases:	Store in cool, dry place and keep the	e container tightly closed.		
OSHA Regulatory Status:	This material is classified as not haz	ardous under OSHA regulations.		
Potential Health Effects (Acute and Chronic):	Hazradous in case of ingestion. Slightly hazardous in case of skin contact (irritant, permeator), of eye contact (irritant), of inhalation. Potential Chronic Health Effects:Slightly hazardous in case of skin contact (sensitizer). CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS:Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. The substance may betoxic to central nervous system (CNS). Repeated or prolonged exposure to the substance can produce target organs damage			
Inhalation:	Inhalation of material may be harmfu	ul.		
Skin Contact:	Moderately irritating to the skin.			
Eye Contact:	Causes eye irritation.			
Ingestion: Medical Conditions Generally Aggravated By Exposure:	May be harmful if swallowed. Not Determined			



		Supersedes Revision: 08/15/2014			
	3.	Composition/Information on Ingredients			
CAS #	Hazardous Comp	onents (Chemical Name) Concentration			
1303-96-4	Borax	<5.000 %			
7632-00-0	Sodium nitrite	10.000 - 30.000 %			
1310-73-2	Sodium hydroxide	<5.000 %			
NA	(Trade Secret)	<1.000 %			
NA	(Trade Secret)	<1.000 %			
		4. First Aid Measures			
Emergency	and First Aid	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.			
Procedures:		IF ON SKIN: Wash with plenty of soap and water.			
		IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for			
		breathing. If in Eyes: In case of Eye Contact: In case of contact, immediately flush eyes with plenty			
		of water for at least 15 minutes. Get medical attention.			
In Case of Ir	nhalation:	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is			
		difficult, give oxygen. Get medicalattention.			
In Case of S	kin Contact:	In case of contact, immediately flush skin with plenty of water. Cover the irritated skin with			
		an emollient. Remove contaminated clothing and shoes. Cold water may be used. Wash			
In Casa of E	we Contract	clothing before reuse. Thoroughly clean shoes before reuse. Get medicalattention.			
In Case of E	ye contact.	Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelidsopen. Cold water may be used. Get medical attention.			
In Case of Ir	ngestion:	Do NOT induce vomiting unless directed to do so by medical personnel. Never give			
	J	anything by mouth to an unconsciousperson. If large quantities of this material are			
		swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie, belt or			
		waistband.			
-	ymptoms Of	Moderate irritation effect.			
Exposure:	f any immediate	Use first aid treatment according to the nature of the injury.			
	ention and special	• • • •			
treatment no	•				
Note to Physician:		Treat symptomatically and supportively.			
		5. Fire Fighting Measures			
Flash Pt:		> 200.00 F (93.3 C) Method Used: Closed Cup			
Explosive L		LEL: No data. UEL: No data.			
Autoignition		~ 699.80 F (371.0 C)			
		SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray, fog or foam.			
Unsuitable i Media:	Extinguishing	Water jet.			
Fire Fighting	g Instructions:	Evacuate area and fight fire from a safe distance. As in any fire, wear self-contained			
		breathing apparatus pressure-demand, MSHA/NIOSH approved or equivalent) and full			
Elementels		protective gear.			
Flammable Hazards:	Properties and	Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product inpresence of static discharge: Not available.			
	lazardous Combustion Carbon monoxide, Carbon dioxide.				
Products:		· · · · , · · · · · · · · · · · · · · ·			
Licensed to The	e Metro Group, Inc.: M	IRS MSDS, (c) A V Systems, Inc. GHS format			



Protective Pro Protective Eq						
Protective Eq		6. Accid	ental Release N	leasures		
Emergency P		Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.				
Environmental Precautions:		Precautions:Keep away from heat. Keep away from sources of ignition. Empty containers pose a fire risk, evaporate the residue under afume hood. Ground all equipment containing material. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Wear suitableprotective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical adviceimmediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such asoxidizing agents, reducing agents, acids, alkalis, moisture.				
Steps To Be Taken In Case Material Is Released Or Spilled:		 Small Spill:Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container.Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authorityrequirements. Large Spill:Absorb with an inert material and put the spilled material in an appropriate waste disposal. Finish cleaning by spreading wateron the contaminated surface and allow to evacuate through the sanitary system. Be careful that the product is not present at 				
		aconcentration level above TLV. Check TLV on the MSDS and with local authorities.				
		7. H	andling and Sto	orage		
Precautions To Be Taken in		Wash hands before eating. Avoid contact with skin and eyes.				
Handling: Precautions To Be Taken in Storing:		Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respectivethreshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.				
Other Precau			container. Store in a co			
	8.	Exposure (Controls/Persor	nal Protection		
CAS #	Partial Chemical	Name	OSHA TWA	ACGIH TWA	Other Limits	
1303-96-4	Borax		No data.	TLV: 5 mg/m3	No data.	
7632-00-0	Sodium nitrite		No data.	No data.	No data.	
1310-73-2	Sodium hydroxide	•	PEL: 2 mg/m3	CEIL: 2 mg/m3	No data.	
NA	(Trade Secret)		No data.	No data.	No data.	
NA	(Trade Secret)		No data.	No data.	No data.	
	Recommended Exposure Limits:		TWA: 10 (mg/m3) from AIHA Consult local authorities for acceptable exposure limits.			



	Supersedes Revision: 08/15			
Respiratory Equipment (Specify Type):	NIOSH/MSHA approved respirator			
Eye Protection:	Goggles			
Protective Gloves:	Rubber gloves			
Other Protective Clothing:	-			
-	Wear approviate protective clothing to minimize contact with skin.			
Engineering Controls (Ventilation etc.):	Ventilation is normally required when handling or using this product.			
Environmental Exposure	Good general ventilation should be sufficient to control airborne levels.			
Controls:		_		
	9. Physical and Chemical Properties			
Physical States:	[]Gas [X]Liquid []Solid			
Appearance and Odor:				
	Odor: No apparent odor.			
	Appearance: Clear Liquid			
pH:	No data.			
Melting Point:	No data.			
Boiling Point:	> 300.00 F (148.9 C)			
Flash Pt:	> 200.00 F (93.3 C) Method Used: Closed Cup			
Evaporation Rate:	No data.			
Flammability (solid, gas):	No data available.			
Explosive Limits:	LEL: No data. UEL: No data.			
Vapor Pressure (vs. Air or mm Hg):	No data.			
Vapor Density (vs. Air = 1):	No data.			
Specific Gravity (Water = 1):	No data.			
Solubility in Water:	No data.			
Solubility Notes:	Complete			
Octanol/Water Partition Coefficient:	No data.			
Autoignition Pt:	~ 699.80 F (371.0 C)			
Decomposition Temperature:				
Viscosity:	No data.			
	10. Stability and Reactivity			
Peoptivity	Hygroscopic; keep container tightly closed. Incompatible with chloroformates, stron			
Reactivity:	acids (nitric acid, hydrofluloric acid),caustics, aliphatic amines, isocyanates, strong oxidizers, acid anhydrides, silver nitrate, reducing agents.	•		
Stability:	Unstable [] Stable [X]			
Conditions To Avoid - Instability:	Incompatible materials, excess heat, exposure to moist air or water			
-	Reactive with oxidizing agents, reducing agents, acids, alkalis.			
	Carbon monoxide, Carbon dioxide.			
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]			
Conditions To Avoid - Hazardous Reactions:	No data available.			
Licensed to The Metro Group, Inc.: M	IRS MSDS, (c) A V Systems, Inc. GHS	S format		



	11. Toxicological Information				
Toxicological Information:	Special Remarks on other Toxic Effects on Humans:Acute Potential Health Effects: Skin: May cause mild skin irritation. It may be absorbed through the skin and cause systemiceffects similar to those of ingestion. Eyes: May cause mild eye irritation with some immediate, transitory stinging, lacrimation,blepharospasm, and mild transient conjunctival hyperemia. There is no residual discomfort or injury once it is washedaway. Inhalation: May cause respiratory tract irritation. Ingestion: It may cause gastrointestinal tract irritation. It may affectbehavior/central nervous system(CNS depression, general anesthetic, convulsions, seizures, somnolence, stupor, musclecontraction or spasticity, coma), brain (changes in surface EEG), metabolism, blood (intravascular hemolysis, white bloodcells - decreased neutrophil function), respiration (respiratory stimulation, chronic pulmonary edema, cyanosis), cardiovascularsystem(hypotension, bradycardia, arrhythmias, cardiac arrest), endocrine system (hypoglycemia), urinary system (kidneys),and liver. Chronic Potential Health Effects: Skin: Prolonged or repeated skin contact may cause allergic contact dermatitis.Ingestion: Prolonged or repeated ingestion may cause hyperglycemia and may affect behavior/CNS (symptoms similar to thatof acute ingestion). Inhalation: Prolonged or repeated inhalation may affect behavior/CNS (with symptoms similar to ingestion),and spleen				
Irritation or Corrosion:	Skin corrosion/irritation				
Symptoms related to Toxicological Characteristics	Not reported. s:				
Chronic Toxicological Effects:	May cause damage to the following organs: central nervous system (CNS).				
Carcinogenicity:	NTP? No IARC Monographs? No OSHA Regulated? No				
	12. Ecological Information				
General Ecological Information:	Ecotoxicity:Ecotoxicity in water (LC50): >5000 mg/l 24 hours [Goldfish]. >10000 mg/l 48 hours [guppy]. >10000 mg/l 48 hours [water flea].BOD5 and COD: Not available Not determined.				
Results of PBT and vPvB assessment:	Not determined.				
Persistence and Degradability:					
Bioaccumulative Potential:	Not determined.				
Mobility in Soil:	Not determined.				
	13. Disposal Considerations				
Waste Disposal Method:	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.				
14. Transport Information					



Page: 6 Printed: 02/10/2016 Revision: 05/20/2015 Supersedes Revision: 08/15/2014

LAND TRANS	SPORT (US DOT):						
-	er Shipping Name						
DOT Hazard Class: UN/NA Number:		8 1760	CORROSIVE			н	
	mber: nary Label:	DANGER		Packing Gr	oup:	II	
	····· , _····						
		CORROSIVE					
		8					
		15. Re	egulatory	/ Informatio	n		
EPA SARA (Su	perfund Amendmen	ts and Reautho	rization Act of	f 1986) Lists			
CAS # 1303-96-4	Hazardous Compo Borax	nents (Chemica	l Name)	S. 302 (EHS) No	S. 304 RQ No	S. 313 (TRI) No	
7632-00-0	Sodium nitrite			No	Yes 100 LB	Yes	
1310-73-2	Sodium hydroxide			No	Yes 1000 LB	No	
NA	(Trade Secret)			No	No	No	
NA	(Trade Secret)			No	No	No	
'Hazard Categ for SARA Title 311/312 as ine	e III Sections [dicated: [] Yes [X] No] Yes [X] No	Fire Hazard	ayed) Health Haza ase of Pressure H zard			
CAS #	Hazardous Compo	nents (Chemica	l Name)	Other US EPA or	State Lists		
1303-96-4	Borax			TSCA: Yes - Inventory; NY Part 597: No			
7632-00-0 1310-73-2	Sodium nitrite Sodium hydroxide	ide TSCA: Yes - Inventory, 5A(2), 12(b); NY Part 597: Ye TSCA: Yes - Inventory; NY Part 597: Yes					
NA	(Trade Secret)			TSCA: Yes - Inventory; NY Part 597: No			
			ory, 4 Test; NY Part 597: No				
		16.	Other In	formation			
Revision Date	e: 0	5/20/2015					
Hazard Ratin		HEALTH FLAMMABILIT PHYSICAL PPE	1 70 0 H	Flammability Health NFPA:	Instability 0 Special Hazard		
Additional Inf This Product:	ormation About N	o data available) .				
Disclaimer:		This information relates to this specific material. It may not be valid for this material if used in combination with other materials or in any process. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for his own particular use.					