

SAFETY DATA SHEET

Issue Date Revision Date June 2016 April 2017

Version

3

1. PRODUCT AND COMPANY IDENTIFICATION

| Product Identifier | |
|-----------------------------------|--|
| Product Name | ACID Magic [®] |
| Other Means of Identification | |
| SDS # | USA/SDS/I03 |
| Product Code | USA |
| UN/ID No. | UN1760 |
| <u>Synonyms</u> | The User Friendly Muriatic Acid!™* |
| | *ACID Magic should not be used to aid or effect any pool disinfectant product or other water modifier. |
| Recommended Use of the Chem | nical and Restrictions on Use |
| Recommended Use | Cleans, clarifies and etches like full strength muriatic acid.* |
| Details of the Supplier of the Sa | fety Data Sheet |
| Supplier Address | Certol International, LLC. |
| | 6120 East 58th Avenue |
| | Commerce City, Colorado 80022 |
| | www.Certol.com |
| | Phone: 303-799-9401 |
| | Toll-Free: 1-800-843-3343 |
| | Fax: 303-799-9408 |
| 24 Hour Emergency | Telephone |
| | INFOTRAC: 1-800-535-5053 (North America) |
| | INFOTRAC: 1-352-323-3500 (International) |
| | |
| | |

2. HAZARDS IDENTIFICATION



Classification

| olassification | | |
|--|-----------|---|
| Corrosive to Metals | | Category 1 |
| AcuteToxicity-Oral | | Category 3 |
| Specific Target Organ Toxicity (single e | exposure) | Category 3 |
| Signal Word | | Danger. |
| Physical & Chemical Hazards: | | May be corrosive to metals. |
| Health Hazards: | | May cause respiratory irritation. |
| | | May cause drowsiness or dizziness. |
| | | May be corrosive to metals. |
| Environmental Hazards: | | See Section 12. |
| GHS Label Element | | |
| Hazard Statements | H290 | May be corrosive to metals. |
| | H302 | Harmful if swallowed. |
| | H335 | May cause respiratory irritation. |
| | H336 | May cause drowsiness or dizziness. |
| Precautionary Statements: | | |
| Prevention | P202 | Do not handle until all safety precautions have been read and understood. |
| | P280 | Wear eye protection. |
| | P260 | Do not breathe dust/fumes/gas/mist/vapors/spray. |
| Response | P301 | IF SWALLOWED: Immediately call a Poison Control Center or doctor/physician. |
| | | Rinse mouth. |
| | P304 | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for |
| a . | | breathing. Immediately call a Poison Control Center or a doctor/physician. |
| Storage | P403 | Store in a well-ventilated place. |
| | P406 | Store in a corrosive resistant container. |
| | P411 | Store at temperatures not below 32°F (0°C). |
| Disposal | P501 | Dispose according to all local, state and federal regulations. |
| Hazard(s) not otherwise classified (HNOC): | | Not determined. |

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No. | Weight-% |
|-------------------|-----------|----------|
| Hydrochloric Acid | 7647-01-0 | ** |
| Others | Various | *** |

** The exact percentage is a trade secret.

*** The specific chemical identity of this composition is being withheld as a trade secret.

| | 4. FIRST AID MEASURES |
|-------------------|---|
| Inhalation | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. Call a physician or Poison Control Center immediately. |
| Eye Contact | Immediately flush with plenty of water. Remove any contact lenses and continue flushing for several minutes and call a physician immediately. |
| Ingestion | Rinse mouth and drink plenty of water. Do not induce vomiting. Never give anything by mouth to a person who is unconscious. Call a physician or Poison Control Center immediately. |
| Skin Contact | Wash off immediately with plenty of water for several minutes. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation or rash occurs: get medical attention. |
| <u>Symptoms</u> | Inhalation of fumes or acid mist can cause irritation and corrosive burns to the upper respiratory tract. Ingestion may cause burning of the mouth, throat, and digestion tract. |
| Note to Physician | Treat symptomatically. |

| 5. FIRE-FIGHTING | MEASURES |
|---|---|
| Suitable Extinguishing Media | Use extinguishing measures that are appropriate to local |
| | circumstances and the surrounding environment. |
| Unsuitable Extinguishing Media | None Determined. |
| Specific Hazards Arising from the Chemical | Contact with metals may evolve flammable hydrogen gas. The decomposition can lead to the release of toxic/corrosive gases and vapors. |
| Hazardous Combustion Products | Hydrogen Chloride. |
| Protective Equipment and Precautions for Firefighters | As in any fire, wear self-contained breathing apparatus pressure- demand, MSHA/NIOSH (approved or equivalent) and full protective gear. |
| 6. ACCIDENTAL RELEA | ASE MEASURES |
| Personal Precautions, Protective Equipment and Emergency Procedures | |
| Personal Precautions | Use personal protective equipment as required. |
| For Emergency Responders | Restrict access to spill area. Ventilate the area. |
| Environmental Precautions | Prevent entry into waterways, sewers, basements or confined areas. |
| Methods and Material for Containment and Cleaning Up | |
| Methods for Containment | Prevent further leakage or spillage if safe to do so. |
| Methods for Cleaning Up | Soak up with inert absorbent material. Flush residue with water. Neutralize with soda ash or other acid-neutralizing agent. |
| 7. HANDLING AND | D STORAGE |
| Precautions for Safe Handling | |
| Advice on Safe Handling | Wash face, hands, and any exposed skin thoroughly after handling. |
| | Do not eat, drink or smoke when using this product. |
| | Avoid breathing vapors, mist or gas. Use only in well-ventilated areas. |
| | Keep out of the reach of children and pets. |
| Conditions for Safe Storage, Including any Incompatibilities | |
| Storage Conditions | Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from direct sunlight. Keep away from heat. Store away from incompatible materials. Store in a closed, properly labeled, and acid resistant container. Avoid storing below 32°F (0°C). Do not store near alkalis, highly flammable or oxidizing substances. Product must not contact chlorine bleach or cyanide. |
| Packaging Material | Keep in orignial container. |
| Incompatible Materials | Do not store near alkalis, highly flammable or oxidizing substances. Product must not contact chlorine bleach or cyanide. |

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|--------------------------------|----------------|--|--|
| Hydrochloric Acid 7647-01-0 | Ceiling: 2 ppm | (vacated) Ceiling: 5 ppm (vacated) Ceiling: 7 mg/m ³ Ceiling: 5 ppm Ceiling: 7 mg/m ³ | IDLH: 50 ppm Ceiling: 5 ppm Ceiling: 7 mg/m ³ |

Exposure Guidelines

Appropriate Engineering Controls

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection

Skin and Body Protection

Respiratory Protection

General Hygiene Considerations

See above occupational exposure limits. Eyewash stations.

Wear goggles or chemical safety glasses. Face protection shield. Wear water-resistant gloves. Wear appropriate clothing to prevent repeated or prolonged skin contact. Under normal conditions, respirator is not normally required. Use acid resistant respirator if concentration is high. Handle in accordance with good industrial hygiene and safety practices.

9. PHYSICAL AND CHEMICAL PROPERTIES Information on Basic Physical and Chemical Properties

| Physical State | Liquid. | Appearance | Clear to Yellow Liquid. | Color | Clear to Yellow. | Odor | Not Determined. |
|-------------------------|----------|-------------------|---------------------------|-------|---------------------|------------------------|--------------------|
| Property | | Values | Property | | Val | ues |] |
| pН | | < 1 (25°C / 77°F) | Specific Gravity | | 1.11 (60°F | ⁻ / 15.5°C) | |
| Melting Point / Freezi | ng Point | Not Determined. | Water Solubility | | Complete | e Soluble. | |
| Boiling Point / Boiling | g Range | 212°F / 100°C | Partition Coefficient | | Not Dete | ermined. | |
| Flash Point | _ | Not Determined. | Autoignition Temperature | | Not Dete | ermined. | |
| Evaporation Rate | | < 1 | Decomposition Temperature | | Not Dete | ermined. | |
| Flammability (Solid/G | as) | N/A - Liquid. | Kinematic Viscosity | | Not Dete | ermined. | |
| Flammability Limits In | n Air | Not Determined. | Dynamic Viscosity | | Not Dete | ermined. | |
| Vapor Pressure | | Not Determined. | Explosive Properties | | Not Ex | plosive. | |
| Vapor Density | | > 1 | Oxidizing Properties | | Not Dete | ermined. | |

| ABILITY AND REACTIVITY |
|---|
| Not reactive under normal conditions. |
| Stable under recommended storage conditions. |
| Reacts with carbon steel, aluminum and copper. |
| Aldehydes & epoxides, in the presence of HCI, will cause hazardous polymerization. |
| Avoid high temperatures. Incompatible materials. Avoid storing below 32°F (0°C). |
| Alkalis. Strong oxidizing agents. Acetic anhydride. Oleum. Amines. Vinyl acetate. Cyanides. Chlorine bleach. |
| HCI gas evolved from heating; hydrogen gas evolved by reaction. |
| |

11. TOXICOLOGICAL INFORMATION

Eye contact. Skin contact. Inhalation. Ingestion.

Information on Likely Routes of Exposure

Ingestion Inhalation Skin Contact Eye Contact

Routes of Exposure

Avoid breathing vapors or mists. Harmful if swallowed. No effect for healthy, intact skin. Avoid contact with eyes.

Component Information

| Chemical Name | Oral LD ₅₀ | Dermal LD ₅₀ | Inhalation LC ₅₀ |
|--------------------------------|-----------------------|-------------------------|-----------------------------|
| Hydrochloric Acid 7647-01-0 | 700 mg/kg (Rat) | > 5010 mg/kg (Rabbit) | 3124 ppm (Rat) 1 hr. |

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure Carcinogenicity The product as a w

The product as a whole has not been tested.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|--------------------------------|-------|---------|-----|------|
| Hydrochloric Acid 7647-01-0 | N/A | Group 3 | N/A | N/A |

ACGIH (The American Conference of Governmental Industrial Hygienists) A4 - Not Classifiable as a Human Carcinogen. IARC(International Agency for Research on Cancer)

Group 3 - Not Carcinogenic to Humans.

Numerical Measures of Toxicity

Not Determined.

| Page | 5 | of | 6 |
|------|---|----|---|

| Ecotoxicity | | | | RMATION | |
|-----------------------|--|---|---|--|--|
| | | An environmental hazar | d cannot be exclude | d in the event of unprofe | ssional handling or disposal. |
| | Chemical Name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
| | Hydrochloric Acid 7647-01-0 | EC ₅₀ Selenastum capricornnutum (Green Algae): 0.0492 mg/L/72 hr. (pH 5.3) | 282: 96 hr. Gambusia affinis mg/L LC₅₀ static | None Known | LC ₅₀ ; Species: Cragnon cragnon (Common shrimp, adult); Conditions; saltwater, renewal, 15° C Concentration: 260 mg/L for 48 hr. |
| Bioaccumu Aobility | e and Degradability lation rse Effects | | | Not Determined. Not Determined. Not Determined. Not Determined. | |
| | | 13. D | ISPOSAL CONSIDE | RATIONS | |
| Laoto Hoal | tment Methods | | | | |
| | Disposal of Wastes Contaminated Packag Steps to be Taken in (Deny access to the are material. Flush surface | Case Material is Released a. Ventilate the area well. L | arge spills or leaks s vith soda ash or othe | Dispose according to all hould be cleaned up and | l local, state and federal regulations. l local, state and federal regulations. d controlled with an inert absorbent . Prevent material from entering |
| | Disposal of Wastes Contaminated Packag Steps to be Taken in (Deny access to the are material. Flush surface waterways. CERCLA re | Case Material is Released ea. Ventilate the area well. L with water and neutralize we portable Quantity (RQ) is 5 | arge spills or leaks s vith soda ash or othe 5,000 lbs. TRANSPORT INFOR | Dispose according to all hould be cleaned up and racid-neutralizing agent | l local, state and federal regulations. d controlled with an inert absorbent . Prevent material from entering |
| Note | Disposal of Wastes Contaminated Packag Steps to be Taken in O Deny access to the are material. Flush surface waterways. CERCLA re Please see current ship | Case Material is Released ea. Ventilate the area well. L with water and neutralize we portable Quantity (RQ) is 5 14. oping paper for most up to o | arge spills or leaks s vith soda ash or othe 5,000 lbs. TRANSPORT INFOR date shipping informa | Dispose according to all hould be cleaned up and r acid-neutralizing agent MATION tion, including exemption | l local, state and federal regulations. d controlled with an inert absorbent . Prevent material from entering ns and special circumstances. Quarts an |
| Note | Disposal of Wastes Contaminated Packag Steps to be Taken in O Deny access to the are material. Flush surface waterways. CERCLA re Please see current ship | Case Material is Released ta. Ventilate the area well. L with water and neutralize we eportable Quantity (RQ) is 5 14. opping paper for most up to o Limited Quantity. Large siz UN/ID No Proper Shipping Name Hazard Class | arge spills or leaks s vith soda ash or othe 5,000 lbs. TRANSPORT INFOR date shipping informa | Dispose according to all hould be cleaned up and r acid-neutralizing agent MATION tion, including exemption , are shipped as class 8 UN1760 Corrosive Liquid, n.o.s. 8 | l local, state and federal regulations. d controlled with an inert absorbent . Prevent material from entering ns and special circumstances. Quarts an |
| N <u>ote</u> | Disposal of Wastes Contaminated Packag Steps to be Taken in (Deny access to the are material. Flush surface waterways. CERCLA re Please see current ship gallons are shipped as | Case Material is Released a. Ventilate the area well. L with water and neutralize we eportable Quantity (RQ) is 5 14. oping paper for most up to o Limited Quantity. Large siz UN/ID No Proper Shipping Name Hazard Class Packing Group UN/ID No Proper Shipping Name Hazard Class | arge spills or leaks s vith soda ash or othe 5,000 lbs. TRANSPORT INFOR date shipping informa es, 5 gallons or more | Dispose according to all hould be cleaned up and r acid-neutralizing agent EMATION tion, including exemption , are shipped as class 8 UN1760 Corrosive Liquid, n.o.s. 8 III UN1760 Corrosive Liquid, n.o.s. 8 | l local, state and federal regulations. d controlled with an inert absorbent . Prevent material from entering ns and special circumstances. Quarts a (Hydrochloric Acid) |
| Note | Disposal of Wastes Contaminated Packag Steps to be Taken in O Deny access to the are material. Flush surface waterways. CERCLA re Please see current ship gallons are shipped as DOT | Case Material is Released a. Ventilate the area well. L with water and neutralize we eportable Quantity (RQ) is a <u>14.</u> oping paper for most up to o Limited Quantity. Large siz UN/ID No Proper Shipping Name Hazard Class Packing Group UN/ID No Proper Shipping Name | arge spills or leaks s vith soda ash or othe 5,000 lbs. TRANSPORT INFOR date shipping informa es, 5 gallons or more | Dispose according to all hould be cleaned up and r acid-neutralizing agent EMATION tion, including exemption , are shipped as class 8 UN1760 Corrosive Liquid, n.o.s. 8 III UN1760 Corrosive Liquid, n.o.s. | I local, state and federal regulations. d controlled with an inert absorbent . Prevent material from entering ns and special circumstances. Quarts an (Hydrochloric Acid) (Hydrochloric Acid) |

15. REGULATORY INFORMATION

International Inventories Legend:

Not Determined.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/ European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA 313

| Chemical Name | CAS No | Weight % | SARA-Threshold Values % |
|-------------------|-----------|-------------|----------------------------|
| Hydrochloric Acid | 7647-01-0 | Proprietary | 1 |

Clean Water Act (CWA)

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|--------------------------------|--------------------------------|------------------------|------------------------------|-------------------------------|
| Hydrochloric Acid 7647-01-0 | 5000 lb. | N/A | N/A | х |

| Chemical Name | Hazardous Substances RQs | CERCLA /SARA RQ | Reportable Quantity (RQ) |
|--------------------------------|-----------------------------|-----------------|---|
| Hydrochloric Acid 7647-01-0 | 5000 lb. | 5000 lb. | RQ 5000 lb. final RQ RQ 2270 kg final RQ |

US State Regulations

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|--------------------------------|------------|---------------|--------------|
| Hydrochloric Acid 7647-01-0 | х | х | х |

| 16. OTHER INFORMATION | | | | |
|-----------------------|-----------------|--------------------------|------------------------------|---|
| <u>NFPA</u> | | | | |
| | Health Hazards | Flammability | Instability | Special Hazards |
| | 2 | 0 | 0 | Not Determined. |
| HMIS | | | | |
| | Health Hazards | Flammability | Physical Hazards | Personal Protection |
| | Not Determined. | Not Determined. | Not Determined. | Not Determined. |
| Issue Date | June 2016 | | | |
| Revision Date | e April 2017 | | | |
| Revision Note | New format. | | | |
| <u>Disclaimer</u> | Globally Harm | onized System of Classif | cation and Labeling of Chemi | HA hazard Communication Standard adoption of the cals (GHS). Employers should use this information only ice independent determination of autobility and |

as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the satefy and heatlh of employees.

End of Safety Data Sheet