MATERIAL SAFETY DATA SHEET

| NFPA RATING: | Health = 0, Flammability = 0, Reactivity $= 0$ |
|--------------|---|
| HMIS RATING: | Health = 0, Flammability = 0, Physical Hazard = 0 |

| SECTION I – IDENTITY AND MANUFACTURER'S INFORMATION (526N-99D) | | | | | |
|---|-------------------------|-----------------------|---------------------------------------|--|--|
| Manufacturer's Name: | HILLYARD INDUSTRIES | Product Name: | EXPLORER | | |
| Address: | 302 North Fourth Street | Date Prepared: | March 24, 2011 (version 3) | | |
| | St. Joseph, MO 64502 | Prepared by: | Regulatory Affairs Department | | |
| Emergency Telephone No.: (800) 424-9300 (Only in the event of chemical emergency involving a spill, leak, fire, | | | | | |
| exposure or accident involving chemicals.) | | Other informat | ion calls: (816) 233-1321 (Ext. 8285) | | |
| | | | http://www.hillyard.com | | |
| SECTION II – INGREDIENTS/IDENTITY INFORMATION | | | | | |
| Components | | | | | |

| (Specific Chemical Identity: | | | ACGIH | OTHER LIMITS | |
|--------------------------------------|-------------|--------------------|--------------------|---------------------|---------------|
| Common Name(s) | CAS# | OSHA | TLV | RECOMMENDED | % |
| | | PEL | | | |
| Zinc oxide ⁽¹⁾ | 1314-13-2 | 5 mg/M^3 | 5 mg/M^3 | N.A. | less than 0.9 |
| Water | 7732-18-5 | none | none | N.A. | |
| Acrylate Copolymer | Unknown | N.E. | N.E. | N.A. | |
| | to Hillyard | | | | |
| Polyethylene emulsions | 9010-77-9 | N.E. | N.E. | N.A. | |
| Dipropylene glycol monomethyl | | N.E. | N.E. | N.A. | 1-5 |
| ether ⁽²⁾ | 34590-94-8 | | | | |
| Diethylene glycol monoethyl ether ** | 111-90-0 | N.E. | N.E. | N.A. | 1-5 |
| Tributoxyethyl Phosphate (Ethanol 2 | 78-51-3 | N.E. | N.E. | N.A. | 1-3 |
| | | | | | |

Butoxy, phosphate) **

⁽¹⁾ Regulated by OSHA and the following states: CA, FL, ID, IL, LA, MA, MN, NJ, PA, WA.

⁽²⁾ Regulated by the following states: CA, ID, MA, MN, PA, WA.

** This product contains the following chemical subject to reporting requirements of SARA Title III, Section 313:

Diethylene glycol monomethyl ether and Tributoxyethyl Phosphate

N.A.= Not Applicable N.E.= Not Established

SECTION III - PHYSICAL / CHEMICAL CHARACTERISTICS

| Boiling Point: >200°F | Specific Gravity ($H_2O = 1$): 25°C = 1.04 Density = 8.64 lb/gal |
|----------------------------------|--|
| Vapor Pressure (mm Hg.): 17.2 | Percent Volatile by Volume (%): 74.5 – 75.5 % |
| Vapor Density (AIR = 1): 1.5 | Evaporation Rate (ethyl ether = 1): slower than 1 |
| Solubility in Water: Dispersable | Appearance and Odor: White emulsion; non-objectionable odor |
| pH (Concentrate): 8 – 9 | |

SECTION IV – FIRE AND EXPLOSION HAZARD DATA

Flash point: >220°F (T.C.C.)Flammable Limits: LEL = N.A. UEL = N.A.Extinguishing Media: Foam, Carbon Dioxide, Dry Chemical, Water Fog.Special Fire Fighting Procedures: Wear self-contained breathing apparatus (pressure-demand MSHA/NIOSH
approved or equivalent) and full protective gear.Unusual Fire and Explosion Hazards: Material may spatter if temperatures exceed boiling point.
Polymer film can burn.

SECTION V – PHYSICAL HAZARDS

Stability: StableConditions to Avoid: N/AIncompatibility (Materials to Avoid): None known to HillyardHazardous Decomposition Products or Byproducts: None known to HillyardHazardous Polymerization: Will not occurConditions to Avoid: N/A

page 2 of 2 - #534 - Explorer

SECTION VI – HEALTH HAZARD DATA

Routes of entry: Inhalation? N/A Skin? N/A Inges

Ingestion? N/A

HEALTH HAZARDS (1. Acute and 2. Chronic)

1. None known. (According to Primary Skin Irritation Test [FHSA] and Eye Irritation Test [FHSA] of formulation product is not an eye or skin irritant.) FHSA oral - not toxicity at 5g./kg. 2. None known to polish manufacturer. **Chemical listed as Carcinogen or Potential Carcinogen:**

National Toxicology Program = No I.A.R.C. Monographs = No OSHA = No

This product has no carcinogens listed by IARC, NTP, NIOSH, OR ACGIH as of this date, greater than or equal to 0.1%.

Signs and Symptoms of Exposure: None known to polish manufacturer.

Medical Conditions Generally Aggravated by Exposure: None known to polish manufacturer.

Emergency and First Aid Procedures: Eyes: If splashed into eyes flush with water for 15 minutes. **Skin**: Flush skin with water. **Ingestion**: Drink large quantity of water; call physician if discomfort continues.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps To Be Taken In Case Material Is Released Or Spilled: Pick up with mop or wet vac and wash away with water.

Waste Disposal Method: Wash small quantities down sewer with large amount of water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. Large spills should be picked up with wet vac or absorbent material. Landfill or incinerate solids. Dispose of liquid per local, state, and federal regulations.

Precautions To Be Taken In Handling And Storing: Freezing of product may rupture container. Product shelf life is best retained by storage at 45 - 100°F temperature.

Other Precautions: Inhalation exposure to spray mist should be maintained at less than 10 mg/M^3 per eight hours exposure (TWA limit estimated for nuisance dust).

SECTION VIII – CONTROL MEASURES

 Respiratory Protection (Specify Type): None required if good ventilation is maintained.

 Ventilation:
 Local Exhaust = Not required
 Mechanical (General) = Suggested
 Special = N.A.
 Other = N.A.

 Protective Gloves: None required
 Eye Protection: None required
 Other Protective Clothing or Equipment: None required.

 Work / Hygienic Practices: Do not take internally; wash contaminated clothing and equipment before reuse.

SECTION IX – TRANSPORTATION INFORMATION

 Applicable regulations: 49 CFR = No; IMCO = No; IATA = No.

 Proper shipping name:
 Liquid Floor Wax & Polish

 UN No.:
 Not applicable
 Limited Qty.: Not applicable

 Labels required:
 Not required
 DOT Exception: Not applicable

 EPA Hazardous waste number / code:
 Not listed

 Hazardous waste characteristics:
 Ignitability = Not applicable;
 Reactivity = Not applicable.

DISCLAIMER OF WARRANTIES

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OF ANY NATURE ARE MADE WITH RESPECT TO THE PRODUCT(S) OR INFORMATION CONTAINED IN THIS MATERIAL SAFETY DATA SHEET. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. THE BUYER OR USER ASSUMES ALL RISKS ASSOCIATED WITH THE USE, MISUSE OR DISPOSAL OF THIS PRODUCT THE BUYER OR USER IS RESPONSIBLE TO COMPLY WITH ALL FEDERAL STATE OR

THIS PRODUCT. THE BUYER OR USER IS RESPONSIBLE TO COMPLY WITH ALL FEDERAL, STATE OR LOCAL REGULATIONS CONCERNING THE USE, MISUSE OR DISPOSAL OF THESE PRODUCTS.

Version 3, * Denotes revisions since last published MSDS. Supersedes Version 2 July 6, 2009.