SAFETY DATA SHEET



1. Identification

Product identifier	NEUTRALIZER	
Other means of identification		
SDS number	584N-165A	
Product code	HIL00818	
Recommended use	Floor Cleaner	
Recommended restrictions	For Labeled Use Only	
Manufacturer/Importer/Supplier/Distributor information		
Manufacturer		
Company name	HILLYARD INDUSTRIES	
Address	302 North Fourth St.	
	St. Joseph, MO 64501	

Contact person	Regulatory Affairs
Telephone number	(816) 233-1321 (Ext. 8285)
Fax	(816) 383-8485
E-mail	regulatoryaffairs@hillyard.com
Emergency telephone #	(800) 424-9300
	(Only in the event of chemical emergency involving a spill, leak, fire, exposure or accident involving chemicals)

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 4
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 3
	Hazardous to the aquatic environment, long-term hazard	Category 3
OSHA defined hazards	Not classified.	
Label elements		
	▲	



Signal word	Warning
Hazard statement	Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. Harmful to aquatic life. Harmful to aquatic life with long lasting effects.
Precautionary statement	
Prevention	Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves and eye/face protection.
Response	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse.
Storage	Keep container tightly closed. Store away from incompatible materials.

Disposal	Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable law in compliance with applicable federal, state and local requirements. CONTAINER DISPOSAL: Triple rinse (or equivalent), then offer clean, dry container for recycling or reconditioning.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
ETHYLENEDIAMINE TETRAACETIC ACID		60-00-4	10 - < 20
POTASSIUM HYDROXIDE		1310-58-3	3 - < 5
2-methoxymethylethoxy propanol [DPM]		34590-94-8	1 - < 3
Alcohols (C12-15 In, Saturated) Ethoxylate		68131-39-5	1 - < 3
Other components below reportable	levels		70 - < 80

Other components below reportable levels

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	If swallowed, rinse mouth with water (only if the person is conscious). If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell. Do not induce vomiting without advice from poison control center.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from	During fire, gases hazardous to health may be formed.

Specific hazards arising from
the chemicalDuring fire, gases hazardous to health may be formed.Special protective equipment
and precautions for firefightersSelf-contained breathing apparatus and full protective clothing must be worn in case of fire.Fire fighting
equipment/instructionsMove containers from fire area if you can do so without risk.Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.General fire hazardsNo unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions,	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear
protective equipment and	appropriate protective equipment and clothing during clean-up. Do not touch damaged containers
emergency procedures	or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation.
• • • •	Local authorities should be advised if significant spillages cannot be contained. For personal
	protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	This product is miscible in water. Prevent entry into waterways, sewer, basements or confined areas.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Con Components	ntaminants (29 CFR 1910. Type	1000) Value
2-methoxymethylethoxy propanol [DPM] (CAS 34590-94-8)	PEL	600 mg/m3
		100 ppm
US. ACGIH Threshold Limit Values		
Components	Туре	Value
2-methoxymethylethoxy propanol [DPM] (CAS 34590-94-8)	STEL	150 ppm

TWA

Ceiling

POTASSIUM HYDROXIDE (CAS 1310-58-3)

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value	
2-methoxymethylethoxy propanol [DPM] (CAS 34590-94-8)	STEL	900 mg/m3	
		150 ppm	
	TWA	600 mg/m3	
		100 ppm	
POTASSIUM HYDROXIDE (CAS 1310-58-3)	Ceiling	2 mg/m3	
logical limit values	No biological exposure limits noted for	or the ingredient(s).	
oosure guidelines			

100 ppm

2 mg/m3

US - California OELs: Skin designation

2-methoxymethylethoxy propanol [DPM] (CAS	Can be absorbed through the skin.
34590-94-8) US - Tennessee OELs: Skin designation	
2-methoxymethylethoxy propanol [DPM] (CAS 34590-94-8)	Can be absorbed through the skin.

US ACGIH Threshold Limit	/alues: Skin designation		
2-methoxymethylethoxy propanol [DPM] (CAS 34590-94-8)		Can be absorbed through the skin.	
US NIOSH Pocket Guide to	Chemical Hazards: Skin desig	nation	
2-methoxymethylethoxy p 34590-94-8)	propanol [DPM] (CAS	Can be absorbed through the skin.	
US. OSHA Table Z-1 Limits 1	or Air Contaminants (29 CFR	1910.1000)	
2-methoxymethylethoxy p 34590-94-8)	propanol [DPM] (CAS	Can be absorbed through the skin.	
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.		
Individual protection measures,	such as personal protective e	quipment	
Eye/face protection	Avoid contact with eyes. When side shield	e splashing of concentrate is a concern, use protective glasses with	
Skin protection			
Hand protection	Not normally needed. For prol	onged or repeated skin contact use suitable protective gloves.	
Other	None normally required. If unable to avoid prolonged or repeated contact with skin, wear impervious clothing.		
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.		
Thermal hazards	None known.		
General hygiene considerations	washing after handling the ma	k. Always observe good personal hygiene measures, such as terial and before eating, drinking, and/or smoking. Routinely wash quipment to remove contaminants.	

9. Physical and chemical properties

Appearance	Clear, blue liquid.
Physical state	Liquid.
Form	Liquid.
Color	Blue
Odor	Non-objectionable,
Odor threshold	Not available
рН	6.25 - 7.00
Melting point/freezing point	Not applicable / Not available
Initial boiling point and boiling range	209 °F (98.33 °C)
Flash point	> 200.0 °F (> 93.3 °C) Tag Closed Cup
Evaporation rate	< 1 (ethyl ether = 1)
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	17.48 mm Hg
Vapor density	0.745 Air =1
Relative density	1.118 at 77°F
Solubility(ies)	
Solubility (water)	100 % Complete
Partition coefficient (n-octanol/water)	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available

Viscosity	Not available
Other information	
Density	9.31 lb/gal
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Percent volatile	74 - 75 %
VOC	2 % CARB VOC 2.8 % EPA VOC

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye irritation.
Ingestion	Harmful if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.
Information on toxicological effe	cts

Information	on	toxicol	ogical	effect
-------------	----	---------	--------	--------

Acute toxicity	Harmful if swallowed.		
Product	Species	Test Results	
NEUTRALIZER			
Acute			
Oral			
LD50	Mouse	202.4 mg/kg	
Components	Species	Test Results	
2-methoxymethylethoxy propar	nol [DPM] (CAS 34590-94-8)		
<u>Acute</u>			
Dermal			
LD50	Rabbit	9.5 g/kg	
Oral			
LD50	Rat	5.35 g/kg	
ETHYLENEDIAMINE TETRAA	CETIC ACID (CAS 60-00-4)		
Acute			
Oral			
LD50	Mouse	30 mg/kg	
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/eye irritation	Causes serious eye irritation.		
Respiratory or skin sensitizat	tion		
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to cause ski	n sensitization.	

Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.			
Carcinogenicity	Not classifiab	Not classifiable as to carcinogenicity to humans.		
IARC Monographs. Overall	Evaluation of C	Carcinogenicity		
Not listed.				
OSHA Specifically Regulate	d Substances	(29 CFR 1910.1001-1052)		
Not regulated. US. National Toxicology Pro	ogram (NTP) R	eport on Carcinogens		
Not listed.	·			
Reproductive toxicity	This product	is not expected to cause reproductive or d	evelopmental effects.	
Specific target organ toxicity -	Not classified			
single exposure				
Specific target organ toxicity -	Not classified			
repeated exposure				
Aspiration hazard	Not an aspira			
Chronic effects	Prolonged inf	nalation may be harmful.		
12. Ecological information	ו			
Ecotoxicity	Harmful to aq	uatic life with long lasting effects.		
Product		Species	Test Results	
NEUTRALIZER				
Aquatic				
Acute				
Fish	LC50	Fish	1101.8182 mg/l, 96 hours	
Components		Species	Test Results	
Alcohols (C12-15 In, Saturate	d) Ethoxylate (0	CAS 68131-39-5)		
Aquatic	5050			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	0.37 - 0.43 mg/l, 48 hours	
	LC50	Channel catfish (Ictalurus punctatus)	1.04 - 1.39 mg/l, 96 hours	
ETHYLENEDIAMINE TETRA	ACETIC ACID (CAS 60-00-4)		
Aquatic		Water flee (Denhrie magne)	112 mg/L 19 hours	
Crustacea	EC50	Water flea (Daphnia magna)	113 mg/l, 48 hours	
	LC50	Bluegill (Lepomis macrochirus)	34 - 62 mg/l, 96 hours	
POTASSIUM HYDROXIDE (0	CAS 1310-58-3)			
Aquatic Fish	LC50	Western mosquitofish (Gambusia affinis) 80 mg/l 06 hours	
-				
Persistence and degradability	No data is av	ailable on the degradability of this product		
Bioaccumulative potential	No data avail			
Mobility in soil	No data avail		Nation photoshomical azona praction	
Other adverse effects		erse environmental effects (e.g. ozone dep locrine disruption, global warming potentia		
13. Disposal consideration	ne			
-		aloim or dianosa in apolad containers at li	eeneed wests dispessel site. Do not allow	
Disposal instructions	this material t	eclaim or dispose in sealed containers at li to drain into sewers/water supplies. Do not l or used container. Dispose of contents/co	contaminate ponds, waterways or ditches	
	local/regional	/national/international regulations. Buyer a	ssumes all risk and liability associated with	
	-	is product (original concentration or dilutio	n) in violation of applicable law.	
Local disposal regulations	•	cordance with all applicable regulations.		
Hazardous waste code	The waste co	D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel] The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
Waste from residues / unused products	Dispose of in	accordance with local regulations. Empty ues. This material and its container must b		
		uuuuioj.		

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Triple rinse (or equivalent). Then offer clean, dry container for recycling or reconditioning.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations	Standard, 29 CFR 1910.120	s Chemical" as defined by the OSHA Hazard 0. .S. EPA TSCA Inventory List or Exempt.	I Communication
TSCA Section 12(b) Export I	Notification (40 CFR 707, Sul	opt. D)	
Not regulated.			
CERCLA Hazardous Substa	· · ·		
ETHYLENEDIAMINE TE 60-00-4)	·	Listed.	
POTASSIUM HYDROXID SARA 304 Emergency release		Listed.	
	d Substances (29 CFR 1910.	1001-1052)	
Not regulated.			
Superfund Amendments and Re	authorization Act of 1986 (SA	ARA)	
SARA 302 Extremely hazard	lous substance		
Not listed.			
SARA 311/312 Hazardous chemical	Yes		
Classified hazard categories	Acute toxicity (any route of e Skin corrosion or irritation Serious eye damage or eye	· ,	
SARA 313 (TRI reporting) Not regulated.			
Other federal regulations			
Clean Air Act (CAA) Section	112 Hazardous Air Pollutan	ts (HAPs) List	
Not regulated.			
Clean Air Act (CAA) Section	112(r) Accidental Release P	revention (40 CFR 68.130)	
Not regulated.			
Safe Drinking Water Act (SDWA)	Not regulated.		
US state regulations		er and Toxic Enforcement Act of 1986 (Prop chemicals currently listed as carcinogens or	
California Proposition 65			
	ny chemicals currently listed as	Act of 2016 (Proposition 65): This material s carcinogens or reproductive toxins. For	
International Inventories			
Country(s) or region	Inventory name		On inventory (ves/ne)*

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No

Inventory name

On inventory (yes/no)* Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	12-22-2014
Revision date	07-23-2019
Version #	03
HMIS® ratings	Health: 2 Flammability: 0 Physical hazard: 0
Disclaimer	No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or disposal of these products.
Revision information	Product and Company Identification: Product and Company Identification Composition / Information on Ingredients: Ingredients Exposure controls/personal protection: Thermal hazards Physical & Chemical Properties: Multiple Properties Physical and chemical properties: Appearance Stability and reactivity: Conditions to avoid Toxicological Information: Toxicological Data Ecological Information: Ecotoxicity Ecological Information: Ecotoxicity Disposal considerations: Disposal instructions Disposal considerations: Hazardous waste code Regulatory information: California Proposition 65 GHS: Classification