

# SAFETY DATA SHEET

## 1. Identification

**Product identifier:** STAINLESS STEEL CLEANER & POLISH - HIL0103455

**Other means of identification**

**SDS number:** RE1000025389

**Recommended restrictions**

**Recommended use:** Cleaner

**Restrictions on use:** Not known.

**Manufacturer Information**

**Manufacturer**

Company Name: HILLYARD INC  
Address: 302 North 4th Street  
St. Joseph, MO 64501  
Telephone: 1-816-383-8285

**Emergency telephone number:** 1-866-836-8855

## 2. Hazard(s) identification

**Hazard Classification**

**Physical Hazards**

Flammable aerosol	Category 1
Gases under pressure	Liquefied gas

**Health Hazards**

Serious Eye Damage/Eye Irritation	Category 2A
Skin sensitizer	Category 1
Aspiration Hazard	Category 1

**Label Elements**

**Hazard Symbol:**



**Signal Word:** Danger

**Hazard Statement:** Extremely flammable aerosol.  
Causes serious eye irritation.  
May cause an allergic skin reaction.  
May be fatal if swallowed and enters airways.  
Contains gas under pressure; may explode if heated.

**Precautionary Statements**

- Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace.
- Response:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. Specific treatment (see on this label). Wash contaminated clothing before reuse.
- Storage:** Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store locked up.
- Disposal:** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
- Hazard(s) not otherwise classified (HNOC):** None.

**3. Composition/information on ingredients**

**Mixtures**

Chemical Identity	CAS number	Content in percent (%)*
Distillates (petroleum), hydrotreated light	64742-47-8	20 - <50%
White mineral oil (petroleum)	8042-47-5	20 - <50%
2-Propanone	67-64-1	10 - <20%
Propane	74-98-6	10 - <20%
2,6-Octadienal, 3,7-dimethyl-	5392-40-5	0.1 - <1%

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**4. First-aid measures**

- Ingestion:** Call a physician or poison control center immediately. Rinse mouth. Never give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
- Inhalation:** Move to fresh air.
- Skin Contact:** Get medical attention if symptoms occur. Destroy or thoroughly clean contaminated shoes. Immediately remove contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction develops, get medical attention.
- Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.

**Most important symptoms/effects, acute and delayed**

**Symptoms:** No data available.

**Hazards:** No data available.

**Indication of immediate medical attention and special treatment needed**

**Treatment:** No data available.

**5. Fire-fighting measures**

**General Fire Hazards:** Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.

**Suitable (and unsuitable) extinguishing media**

**Suitable extinguishing media:** Use fire-extinguishing media appropriate for surrounding materials.

**Unsuitable extinguishing media:** Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards arising from the chemical:** Vapors may travel considerable distance to a source of ignition and flash back.

**Special protective equipment and precautions for firefighters**

**Special fire fighting procedures:** No data available.

**Special protective equipment for fire-fighters:** Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

**6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures:** Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

**Methods and material for containment and cleaning up:** Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

**Notification Procedures:** Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.

**7. Handling and storage**

**Precautions for safe handling:** Avoid contact with eyes. Wash hands thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid contact with eyes, skin, and clothing.

**Conditions for safe storage, including any incompatibilities:**

Store locked up. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 3

**8. Exposure controls/personal protection**

**Control Parameters  
Occupational Exposure Limits**

Chemical Identity	Type	Exposure Limit Values	Source
Distillates (petroleum), hydrotreated light	REL	100 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2005)
Distillates (petroleum), hydrotreated light - Non-aerosol. - as total hydrocarbon vapor	TWA	200 mg/m3	US. ACGIH Threshold Limit Values, as amended (2008)
	TWA	200 mg/m3	US. ACGIH Threshold Limit Values, as amended (2008)
White mineral oil (petroleum) - Mist.	REL	5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2005)
	STEL	10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2005)
	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
White mineral oil (petroleum) - Inhalable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values, as amended (01 2010)
2-Propanone	STEL	1,000 ppm 2,400 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	PEL	1,000 ppm 2,400 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
	TWA	250 ppm	US. ACGIH Threshold Limit Values, as amended (03 2015)
	TWA	750 ppm 1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	STEL	500 ppm	US. ACGIH Threshold Limit Values, as amended (03 2015)
	REL	250 ppm 590 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2005)
Propane	REL	1,000 ppm 1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2005)
	PEL	1,000 ppm 1,800 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
	TWA	1,000 ppm 1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
2,6-Octadienal, 3,7-dimethyl- - Inhalable fraction and vapor.	TWA	5 ppm	US. ACGIH Threshold Limit Values, as amended (01 2010)
Naphtha (petroleum), heavy alkylate	PEL	100 ppm 400 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
	TWA	100 ppm 400 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	REL	100 ppm 400 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2010)
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	TWA	20 ppm	US. ACGIH Threshold Limit Values, as amended (2008)

**Biological Limit Values**

Chemical Identity	Exposure Limit Values	Source
2-Propanone (acetone: Sampling time: End of shift.)	25 mg/l (Urine)	ACGIH BEL (03 2015)

**Appropriate Engineering Controls**

No data available.

**Individual protection measures, such as personal protective equipment**

<b>General information:</b>	Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
<b>Eye/face protection:</b>	Wear safety glasses with side shields (or goggles).
<b>Skin Protection</b>	
<b>Hand Protection:</b>	No data available.
<b>Other:</b>	Wear suitable protective clothing. Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.
<b>Respiratory Protection:</b>	In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.
<b>Hygiene measures:</b>	Observe good industrial hygiene practices. Avoid contact with eyes. When using do not smoke. Contaminated work clothing should not be allowed out of the workplace. Avoid contact with skin.

**9. Physical and chemical properties**

<b>Appearance</b>	
<b>Physical state:</b>	liquid
<b>Form:</b>	Spray Aerosol
<b>Color:</b>	No data available.
<b>Odor:</b>	No data available.
<b>Odor threshold:</b>	No data available.
<b>pH:</b>	No data available.
<b>Melting point/freezing point:</b>	No data available.
<b>Initial boiling point and boiling range:</b>	No data available.
<b>Flash Point:</b>	-104.4 °C (Open Cup)
<b>Evaporation rate:</b>	No data available.
<b>Flammability (solid, gas):</b>	No data available.
<b>Upper/lower limit on flammability or explosive limits</b>	
<b>Flammability limit - upper (%):</b>	Estimated 9.5 %(V)
<b>Flammability limit - lower (%):</b>	Estimated 2.2 %(V)
<b>Explosive limit - upper (%):</b>	No data available.
<b>Explosive limit - lower (%):</b>	No data available.
<b>Vapor pressure:</b>	No data available.
<b>Vapor density:</b>	No data available.
<b>Density:</b>	No data available.
<b>Relative density:</b>	No data available.
<b>Solubility(ies)</b>	
<b>Solubility in water:</b>	No data available.
<b>Solubility (other):</b>	No data available.
<b>Partition coefficient (n-octanol/water):</b>	No data available.
<b>Auto-ignition temperature:</b>	No data available.

**Decomposition temperature:** No data available.  
**Viscosity:** No data available.

**10. Stability and reactivity**

**Reactivity:** No data available.  
**Chemical Stability:** Material is stable under normal conditions.  
**Possibility of hazardous reactions:** No data available.  
**Conditions to avoid:** Avoid heat or contamination.  
**Incompatible Materials:** No data available.  
**Hazardous Decomposition Products:** No data available.

**11. Toxicological information**

**Information on likely routes of exposure**

**Inhalation:** No data available.  
**Skin Contact:** No data available.  
**Eye contact:** No data available.  
**Ingestion:** No data available.

**Symptoms related to the physical, chemical and toxicological characteristics**

**Inhalation:** No data available.  
**Skin Contact:** No data available.  
**Eye contact:** No data available.  
**Ingestion:** No data available.

**Information on toxicological effects**

**Acute toxicity (list all possible routes of exposure)**

**Oral**  
**Product:** Not classified for acute toxicity based on available data.

**Specified substance(s):**  
 Distillates (petroleum), hydrotreated light LD 50 (Rat): > 5,000 mg/kg  
 White mineral oil (petroleum) LD 50 (Rat): > 5,000 mg/kg  
 2-Propanone LD 50 (Rat): 5,800 mg/kg  
 2,6-Octadienal, 3,7-dimethyl- LD 50 (Rat): 6,800 mg/kg

**Dermal**

**Product:** Not classified for acute toxicity based on available data.

**Specified substance(s):**

Distillates (petroleum), hydrotreated light	LD 50 (Rabbit): > 2,000 mg/kg
White mineral oil (petroleum)	LD 50 (Rabbit): > 2,000 mg/kg
2-Propanone	LD 50 (Rabbit): > 7,426 mg/kg
2,6-Octadienal, 3,7-dimethyl-	LD 50 (Rat): > 2,000 mg/kg

**Inhalation**

**Product:** Not classified for acute toxicity based on available data.

**Specified substance(s):**

Distillates (petroleum), hydrotreated light	LC 50: > 5 mg/l LC 50: > 20 mg/l
White mineral oil (petroleum)	LC 50: > 20 mg/l LC 50 (Rat): > 5 mg/l
2-Propanone	LC 50 (Rat): 50.1 mg/l LC 50: > 5 mg/l
Propane	LC 50: > 100 mg/l LC 50: > 100 mg/l
2,6-Octadienal, 3,7-dimethyl-	LC 50: > 20 mg/l LC 50: > 5 mg/l

**Repeated dose toxicity**

**Product:** No data available.

**Specified substance(s):**

Distillates (petroleum), hydrotreated light	NOAEL (Rat(Female, Male), Inhalation): >= 24 mg/m3 Inhalation Experimental result, Key study NOAEL (Rat(Female), Oral, 70 - 147 d): 750 mg/kg Oral Experimental result, Key study
White mineral oil (petroleum)	NOAEL (Rat(Female, Male), Oral, 90 d): >= 20,000 ppm(m) Oral Experimental result, Key study
2-Propanone	NOAEL (Rat(Male), Oral, 13 Weeks): 10,000 ppm(m) Oral Experimental result, Key study
Propane	NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study
2,6-Octadienal, 3,7-dimethyl-	LOAEL (Rat(Female), Oral, 14 Weeks): 335 mg/kg Oral Experimental result, Key study

**Skin Corrosion/Irritation**

**Product:** No data available.

**Specified substance(s):**

Distillates (petroleum), hydrotreated light	in vivo (Rabbit): Not irritant Experimental result, Key study
White mineral oil (petroleum)	in vivo (Rabbit): Not irritant Experimental result, Key study

2-Propanone in vivo (Rabbit): Not irritant Experimental result, Supporting study

**Serious Eye Damage/Eye Irritation**

**Product:** No data available.

**Specified substance(s):**

Distillates (petroleum), hydrotreated light Rabbit, 24 - 72 hrs: Not irritating

White mineral oil (petroleum) Rabbit, 24 - 72 hrs: Not irritating

2-Propanone Irritating.  
 Rabbit, 24 hrs: Minimum grade of severe eye irritant

**Respiratory or Skin Sensitization**

**Product:** No data available.

**Specified substance(s):**

Distillates (petroleum), hydrotreated light Skin sensitization:, in vivo (Guinea pig): Non sensitising

White mineral oil (petroleum) Skin sensitization:, in vivo (Guinea pig): Non sensitising

2-Propanone Skin sensitization:, in vivo (Guinea pig): Non sensitising

**Carcinogenicity**

**Product:** No data available.

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogenic components identified

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:**

No carcinogenic components identified

**Germ Cell Mutagenicity**

**In vitro**

**Product:** No data available.

**In vivo**

**Product:** No data available.

**Reproductive toxicity**

**Product:** No data available.

**Specific Target Organ Toxicity - Single Exposure**

**Product:** No data available.

**Specified substance(s):**

2-Propanone Inhalation - vapor: Narcotic effect. - Category 3 with narcotic effects.

**Specific Target Organ Toxicity - Repeated Exposure**

**Product:** No data available.

**Aspiration Hazard**

**Product:** No data available.



**Specified substance(s):**

Distillates (petroleum), hydrotreated light	May be fatal if swallowed and enters airways.
White mineral oil (petroleum)	May be fatal if swallowed and enters airways.

**Other effects:** No data available.

**12. Ecological information**

**Ecotoxicity:**

**Acute hazards to the aquatic environment:**

**Fish**

**Product:** No data available.

**Specified substance(s):**

White mineral oil (petroleum)	NOAEL (Oncorhynchus mykiss, 96 h): $\geq$ 100 mg/l Experimental result, Key study
2-Propanone	LC 50 (Oncorhynchus mykiss, 96 h): 5,540 mg/l Experimental result, Key study
Propane	LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study
2,6-Octadienal, 3,7- dimethyl-	LC 50 (Leuciscus idus, 96 h): 6.78 mg/l Experimental result, Key study

**Aquatic Invertebrates**

**Product:** No data available.

**Specified substance(s):**

White mineral oil (petroleum)	NOAEL (Daphnia magna, 48 h): $\geq$ 100 mg/l Experimental result, Key study
2-Propanone	LC 50 (Daphnia pulex, 48 h): 8,800 mg/l Experimental result, Key study
2,6-Octadienal, 3,7- dimethyl-	EC 50 (Daphnia magna, 48 h): 6.8 mg/l Experimental result, Key study

**Chronic hazards to the aquatic environment:**

**Fish**

**Product:** No data available.

**Specified substance(s):**

Distillates (petroleum), hydrotreated light	NOAEL (Oncorhynchus mykiss): 0.098 mg/l QSAR QSAR, Key study
White mineral oil (petroleum)	NOAEL (Oncorhynchus mykiss): $\geq$ 1,000 mg/l QSAR QSAR, Supporting study

**Aquatic Invertebrates**

**Product:** No data available.

**Specified substance(s):**

White mineral oil (petroleum)	NOAEL (Daphnia magna): $\geq$ 1,000 mg/l QSAR QSAR, Supporting study
----------------------------------	--

2-Propanone                      LOAEL (Daphnia magna): 2,212 mg/l Experimental result, Key study  
 NOAEL (Daphnia magna): 2,212 mg/l Experimental result, Key study

**Toxicity to Aquatic Plants**

**Product:**                      No data available.

**Persistence and Degradability**

**Biodegradation**

**Product:**                      No data available.

**Specified substance(s):**

Distillates (petroleum), hydrotreated light                      61 % Detected in water. Experimental result, Supporting study

White mineral oil (petroleum)                      31 % (28 d) Detected in water. Read-across from supporting substance (structural analogue or surrogate), Supporting study

2-Propanone                      90.9 % (28 d) Detected in water. Experimental result, Key study

Propane                      100 % (385.5 h) Detected in water. Experimental result, Key study  
 50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study

2,6-Octadienal, 3,7-dimethyl-                      85 - 95 % (28 d) Detected in water. Experimental result, Key study

**BOD/COD Ratio**

**Product:**                      No data available.

**Bioaccumulative potential**

**Bioconcentration Factor (BCF)**

**Product:**                      No data available.

**Specified substance(s):**

2-Propanone                      Haddock, adult, Bioconcentration Factor (BCF): 0.69 Aquatic sediment  
 Experimental result, Not specified

2,6-Octadienal, 3,7-dimethyl-                      Bioconcentration Factor (BCF): 89.72 Aquatic sediment Estimated by calculation, Key study

**Partition Coefficient n-octanol / water (log Kow)**

**Product:**                      No data available.

**Mobility in soil:**                      No data available.

**Known or predicted distribution to environmental compartments**

Distillates (petroleum), hydrotreated light	No data available.
White mineral oil (petroleum)	No data available.
2-Propanone	No data available.
Propane	No data available.
2,6-Octadienal, 3,7-dimethyl-	No data available.

**Other adverse effects:**                      No data available.

**13. Disposal considerations**

**Disposal instructions:**                      Discharge, treatment, or disposal may be subject to national, state, or local laws.

**Contaminated Packaging:**                      No data available.

## 14. Transport information

### DOT

UN Number:	UN 1950
UN Proper Shipping Name:	Aerosols, flammable
Transport Hazard Class(es)	
Class:	2.1
Label(s):	–
Packing Group:	II
Marine Pollutant:	No
Environmental Hazards:	No
Marine Pollutant	No
Special precautions for user:	Not regulated.

### IMDG

UN Number:	UN 1950
UN Proper Shipping Name:	Aerosols, flammable
Transport Hazard Class(es)	
Class:	2
Label(s):	–
EmS No.:	
Packing Group:	–
Environmental Hazards:	No
Marine Pollutant	No
Special precautions for user:	Not regulated.

### IATA

UN Number:	UN 1950
Proper Shipping Name:	Aerosols, flammable
Transport Hazard Class(es):	
Class:	2.1
Label(s):	–
Packing Group:	–
Environmental Hazards:	No
Marine Pollutant	No
Special precautions for user:	Not regulated.

## 15. Regulatory information

### US Federal Regulations

**Restrictions on use:** Not known.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended**

None present or none present in regulated quantities.

### CERCLA Hazardous Substance List (40 CFR 302.4):

<u>Chemical Identity</u>	<u>Reportable quantity</u>
2-Propanone	lbs. 5000
Propane	lbs. 100
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	lbs. 100

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories**

- Fire Hazard
- Immediate (Acute) Health Hazards
- Flammable aerosol
- Serious Eye Damage/Eye Irritation
- Skin sensitizer
- Aspiration Hazard

**SARA 302 Extremely Hazardous Substance**

<u>Chemical Identity</u>	<u>Reportable quantity</u>	<u>Threshold Planning Quantity</u>
Distillates (petroleum), hydrotreated light		
2-Propanone		
Terpenes and Terpenoids, sweet orange-oil		

**SARA 304 Emergency Release Notification**

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Distillates (petroleum), hydrotreated light	
2-Propanone	lbs. 5000
Propane	lbs. 100
Terpenes and Terpenoids, sweet orange-oil	
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	lbs. 100

**SARA 311/312 Hazardous Chemical**

<u>Chemical Identity</u>	<u>Threshold Planning Quantity</u>
Distillates (petroleum), hydrotreated light	10000 lbs
White mineral oil (petroleum)	10000 lbs
2-Propanone	10000 lbs
Propane	10000 lbs
Terpenes and Terpenoids, sweet orange-oil	10000 lbs
2,6-Octadienal, 3,7-dimethyl-	10000 lbs
Naphtha (petroleum), heavy alkylate	10000 lbs
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	10000 lbs

**SARA 313 (TRI Reporting)**

None present or none present in regulated quantities.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):**

**Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)**

**US State Regulations**

**US. California Proposition 65**

No ingredient requiring a warning under CA Prop 65.

**US. New Jersey Worker and Community Right-to-Know Act**

<u>Chemical Identity</u>
Distillates (petroleum), hydrotreated light
White mineral oil (petroleum)
2-Propanone
Propane

**US. Massachusetts RTK - Substance List**

No ingredient regulated by MA Right-to-Know Law present.

**US. Pennsylvania RTK - Hazardous Substances**

**Chemical Identity**

Distillates (petroleum), hydrotreated light  
 White mineral oil (petroleum)  
 2-Propanone  
 Propane

**US. Rhode Island RTK**

No ingredient regulated by RI Right-to-Know Law present.

**International regulations**

**Montreal protocol**

Distillates (petroleum), hydrotreated light  
 2-Propanone  
 Terpenes and Terpenoids, sweet orange-oil

**Stockholm convention**

Distillates (petroleum), hydrotreated light  
 2-Propanone  
 Terpenes and Terpenoids, sweet orange-oil

**Rotterdam convention**

Distillates (petroleum), hydrotreated light  
 2-Propanone  
 Terpenes and Terpenoids, sweet orange-oil

**Kyoto protocol**

**Inventory Status:**

Australia AICS:	On or in compliance with the inventory
Canada DSL Inventory List:	On or in compliance with the inventory
EINECS, ELINCS or NLP:	Not in compliance with the inventory.
Japan (ENCS) List:	Not in compliance with the inventory.
China Inv. Existing Chemical Substances:	Not in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI):	Not in compliance with the inventory.
Canada NDSL Inventory:	Not in compliance with the inventory.
Philippines PICCS:	On or in compliance with the inventory
US TSCA Inventory:	On or in compliance with the inventory
New Zealand Inventory of Chemicals:	Not in compliance with the inventory.
Japan ISHL Listing:	Not in compliance with the inventory.
Japan Pharmacopoeia Listing:	Not in compliance with the inventory.
Mexico INSQ:	Not in compliance with the inventory.
Ontario Inventory:	Not in compliance with the inventory.
Taiwan Chemical Substance Inventory:	Not in compliance with the inventory.

**16. Other information, including date of preparation or last revision**

<b>Issue Date:</b>	11/18/2020
<b>Revision Information:</b>	No data available.
<b>Version #:</b>	2.0
<b>Further Information:</b>	No data available.
<b>Disclaimer:</b>	This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.