

=====
MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to
comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.
=====

PRODUCT RENEW WHITE
IDENTITY: Aerosol

Revision Date: 07/02/2008

Section I

Sold By: Continental Research Corp.
Address: PO Box 15204
St. Louis
Missouri
Zip Code: 63110

Telephone Numbers:
Emergency:
800-325-4869
Information:
800-325-4869

HMIS CODES: REACTIVITY: 1 FLAMMABILITY: 3 HEALTH: 2 PERSONAL PROTECT: B

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the
ingredients contained in this product are listed on the TSCA inventory.)
=====

| Name | Cas No. | OSHA PEL | ACGIH TLV | OTHER LIM | % |
|--------------------------|------------|----------|-----------|-----------|-------|
| ACETONE | 67-64-1 | 1000 PPM | 750 PPM | N/A | _____ |
| HEPTANE | 142-82-5 | 400 PPM | 400 PPM | N/A | _____ |
| ISOPARAFINIC HYDROCARBON | 64742-47-8 | 400 PPM | 400 PPM | | _____ |
| ISOPROPYL ALCOHOL | 67-63-0 | 400 PPM | 400 PPM | N/A | _____ |
| PROPANE/N-BUTANE | 68476-86-8 | 1000 PPM | 600 PPM | N/A | _____ |
| TITANIUM DIOXIDE | 13463677 | 5 MG/M3 | 10 MG/M3 | N/A | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ |

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS
=====

Boiling Point: 104F Specific Gravity (water=1) 0.88
Vapor Pressure(mm Hg) N/A Melting Point: N/A
Vapor Density(AIR=1) >1 Evaporation Rate: >1
Solubility in Water: 0% (Butyl Acetate=1)
Appearance and Odor: WHITE SPRAY, HYDROCARBON SOLVENT ODOR.

Section IV: FIRE AND EXPLOSION HAZARD DATA
=====

Flash Point(Method Used): >100F TCC Flammable Limits: LEL:N/A UEL: N/A
Extinguishing Media: STANDARD DRY CHEMICAL FIRE EXTINGUISHER
Special Fire Fighting Procedures: WEAR SELF CONTAINED BREATHING APPARATUS.

Unusual Fire and Explosion Hazards: FLAMMABLE. CONTENTS UNDER PRESSURE.
DO NOT PUNCTURE OR INCINERATE CONTAINER. KEEP AWAY FROM HEAT.
EXPOSURE TO TEMPERATURES >120 F MAY CAUSE BURSTING.

=====
MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to
comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.
=====

PRODUCT RENEW WHITE
IDENTITY: Aerosol

Revision Date: 07/02/2008

Section I

Sold By: Continental Research Corp.
Address: PO Box 15204
St. Louis
Missouri
Zip Code: 63110

Telephone Numbers:
Emergency:
800-325-4869
Information:
800-325-4869

HMIS CODES: REACTIVITY: 1 FLAMMABILITY: 3 HEALTH: 2 PERSONAL PROTECT: B

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the
ingredients contained in this product are listed on the TSCA inventory.)
=====

| Name | Cas No. | OSHA PEL | ACGIH TLV | OTHER LIM | % |
|--------------------------|------------|----------|-----------|-----------|-------|
| ACETONE | 67-64-1 | 1000 PPM | 750 PPM | N/A | --- |
| HEPTANE | 142-82-5 | 400 PPM | 400 PPM | N/A | --- |
| ISOPARAFINIC HYDROCARBON | 64742-47-8 | 400 PPM | 400 PPM | | --- |
| ISOPROPYL ALCOHOL | 67-63-0 | 400 PPM | 400 PPM | N/A | --- |
| PROPANE/N-BUTANE | 68476-86-8 | 1000 PPM | 600 PPM | N/A | --- |
| TITANIUM DIOXIDE | 13463677 | 5 MG/M3 | 10 MG/M3 | N/A | --- |
| ----- | ----- | ----- | ----- | ----- | ----- |
| ----- | ----- | ----- | ----- | ----- | ----- |

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS
=====

Boiling Point: 104F Specific Gravity (water=1) 0.88
Vapor Pressure(mm Hg) N/A Melting Point: N/A
Vapor Density(AIR=1) >1 Evaporation Rate: >1
Solubility in Water: 0% (Butyl Acetate=1)
Appearance and Odor: WHITE SPRAY, HYDROCARBON SOLVENT ODOR.

Section IV: FIRE AND EXPLOSION HAZARD DATA
=====

Flash Point(Method Used): >100F TCC Flammable Limits: LEL:N/A UEL: N/A
Extinguishing Media: STANDARD DRY CHEMICAL FIRE EXTINGUISHER
Special Fire Fighting Procedures: WEAR SELF CONTAINED BREATHING APPARATUS.

Unusual Fire and Explosion Hazards: FLAMMABLE. CONTENTS UNDER PRESSURE.
DO NOT PUNCTURE OR INCINERATE CONTAINER. KEEP AWAY FROM HEAT.
EXPOSURE TO TEMPERATURES >120 F MAY CAUSE BURSTING.

